

CEC-NRCV-PLB-21-H (Revised 01/19)

CALIFORNIA ENERGY COMMISSION

CEC-NRCV-PLB-21-H (Revised 01/19)		CALIFORNIA ENERGY	COMMISSION
CERTIFICATE OF VERIFICATION		NRCV-PLB-21-H	
HERS Verified High Rise Residential/Hotel/Motel Central Hot W	ater System Distribution		(Page 1 of 4)
Project Name:	Enforcement Agency:		Permit Number:
Dwelling Address:	City		Zip Code

A. Gene	ral Information	
01	Building Name	

_	B. Design HERS Verified Central Water Heating Systems Information This table reports the water heating system features that were specified on the registered CF1R compliance document for this project.										
01	02	03	04	05	06	07	08	09	10	11	12
			# of						~~		
			Wat						* O)	D-	
			er						110	- 0	2
	Water	Wate	Heat	Water					,	M	
Water	Heatin	r	ers	Heater				116	0,1	611	
Heating	g	Heat	in	Storage		Rated	Rated	Heating	Heating	Standb	Exterior
System ID	System	er	Syst	Volume	Fuel	Input	Input	Efficiency	Efficien	y Loss	Insul.
or Name	Type	Type	em	(gal)	Type	Type	Value	Type	cy Value	(%)	R-Value
							-2	~ ()h		
							Co.	30			

C. Installed	C. Installed HERS Verified Central Water Heating Systems Information										
This table reproject.	his table reports the water heating system features that were specified on the registered CF1R compliance document for this										
01	02	03	04	05	06	07	08	09	10	11	12
			# of		0	1		0.			
			Wat			11.	°. C				
			er	VO.		60.	1/10	, -			
	Water	Wate	Heat	Water	. 4 1/ 7		20.				
Water	Heatin	r	ers	Heater	Dr.	46.	0				
Heating	g	Heat	in	Storage		Rated	Rated	Heating	Heating	Standb	Exterior
System ID	System	er	Syst	Volume	Fuel	Input	Input	Efficiency	Efficien	y Loss	Insul.
or Name	Type	Type	em	(gal)	Туре	Туре	Value	Type	cy Value	(%)	R-Value
	2		-	O.	27						
	11 11 .	- 1	K 4	, , 1							

D. Design HERS Verified Water Heating Distribution Systems Information This table reports the water heating distribution types specified on the registered CF1R compliance document for this project.						
01 02 03						
Water Heating						
System ID or	Central DHW System	Dwelling Unit DHW System				
Name	Distribution Type	Distribution Type				

Registration Number: Registration Date/Time: HERS Provider:



CEC-NRCV-PLB-21-H (Revised 01/19)	C	ALIFORNIA ENERGY	COMMISSION
CERTIFICATE OF VERIFICATION			NRCV-PLB-21-H
HERS Verified High Rise Residential/Hotel/Motel Central Hot W	ater System Distribution		(Page 2 of 4)
Project Name:	Enforcement Agency:		Permit Number:
Dwelling Address:	City		Zip Code

E. Installed HERS Verif	fied Water Heating Distribution Systems Information	on
This table reports the	water heating distribution types specified on the reg	gistered CF1R compliance document for this project.
01	02	03
Water Heating		
System ID or	Central DHW System	Dwelling Unit DHW System
Name	Distribution Type	Distribution Type
<u> </u>		.,(0)

F. Installed HERS Verified Water Heater Manufacture	r Information	-X.)
01	02	03
Water Heating System ID or Name	Manufacturer	Model Number
	60.	. 1/2

G. Mar	ndatory Requirements for All Central Domestic Hot Water Systems
01	On systems that have a total capacity greater than 167,000 Btu/hr, outlets that require higher than service water temperatures as listed in the ASHRAE Handbook have separate remote heaters, heat exchangers, or boosters to supply the outlet with the higher temperature. (Section 110.3 (c)1)
02	Systems with circulating pumps or with electrical heat trace systems shall be capable of automatically turning off the system. (Section 110.3(c)2).
03	 Unfired storage tanks are insulated with: External insulation of R-12, or Internal insulation of R-16, or The heat loss of the tank surface based on an 80°F water-air temperature difference shall be less than 6.5 Btuh/ft². (Section 110.3(c)3).
04	 Recirculation loop shall meet the following requirements: The recirculation pump is mounted on a vertical section of the return line, OR an automatic air release valve is installed on a riser at least 12 inches in length, on the inlet side of the recirculation pump, no more than 4 feet from the pump. (Section 110.3(c)4A). A check valve is located between the recirculation pump and the water heater. (Section 110.3(c)4B). A hose bib is installed between the pump and the water heating equipment with an isolation valve between the hose bib and the water heating equipment. 110.3(c)4C). Isolation valves shall be installed on both sides of the pump, of which the item C valve can be one. 110.3(c)4D The cold water piping and the recirculation loop piping shall not be connected to the hot water storage tank drain port. 110.3(c)4E A check valve shall be installed on the cold water supply line between the hot water system and the next closest tee on the cold water supply line. 110.3(c)4F. Instantaneous water heaters with an input greater than 6.8 kBTU/hr. (2kW) shall have isolation valves on both the cold water supply and the hot water line. (110.3 (c)6).
06	All sections of the recirculation loop, and the first 5 feet of all branches off the loop are insulated, to the thicknesses required by Table 120.3A. Other hot water piping shall meet the requirements of 150(j) and the installation requirements in , except for the following: (RA4.4.1). The following shall be insulated with a minimum of 1 inch of insulation. • Piping ¾ inch or greater. • Piping from the water heater to the kitchen sink and dish-washer installed in. • All underground piping • Piping from the heating source to storage tank or between tanks. • Piping installed in the attic that are surrounded by at least 1 (10 cm) inch of insulation and covered with 4 inches of



CEC-NRCV-PLB-21-H (Revised 01/19)

CALIFORNIA ENERGY COMMISSION

CEC-NRCV-PLB-21-H (Revised 01/19)	C _i	ALIFORNIA ENERGY	COMMISSION
CERTIFICATE OF VERIFICATION			NRCV-PLB-21-H
HERS Verified High Rise Residential/Hotel/Motel Central Hot W	ater System Distribution		(Page 3 of 4)
Project Name:	Enforcement Agency:		Permit Number:
Dwelling Address:	City		Zip Code

	 Piping in walls insulated. Piping installed Piping that perpenetration. Namaterial to assumembers. 	d not be insulated interior or exterior walls that is surrounded on all sides by at least 1 inch of insulation need not be d in attics with a minimum of 4 inches (10 cm) of attic insulation on top netrates framing members shall not be required to have pipe insulation for the distance of the framing Metal piping that penetrates metal framing shall use grommets, plugs, wrapping or other insulating sure that no contact is made with the metal framing. Insulation shall butt securely against all framing of the required on the cold water line when it is used as the return
07	Verification Status:	<pre><<user ***="" -="" a="" all="" applicable="" applicable<="" are="" below;="" corrections="" enter="" entire="" fail="" failure="" field="" for="" from="" in="" is="" list:="" met.="" met;="" more="" n="" not="" notes="" one="" or="" pass="" pick="" pre="" reason="" requirements="" table="" this=""></user></pre>
08	Correction Notes:	C 7 4

The responsible person's signature on this compliance document affirms that all applicable requirements in this table have been met unless otherwise noted in the Verification Status and the Corrections Notes in this table.

H. H	H. HERS-Verified Multiple Recirculation Loops for DHW Systems Serving Multiple Dwelling Units Requirements				
All c	All distribution systems listed on this form shall comply with these requirements.				
01	01 All buildings with 8 or more dwelling units have a minimum of 2 recirculation loops.				
02	Verification Status:	<pre><<user ***="" -="" a="" all="" applicable="" applicable<="" are="" below;="" corrections="" enter="" entire="" fail="" failure="" field="" for="" from="" in="" is="" list:="" met.="" met;="" more="" n="" not="" notes="" one="" or="" pass="" pick="" pre="" reason="" requirements="" table="" this=""></user></pre>			
03	Correction Notes:	~3, ' D, 'AD			
The	responsible person's sig	mature on this compliance document affirms that all applicable requirements in this table have been			

The responsible person's signature on this compliance document affirms that all applicable requirements in this table have been met unless otherwise noted in the Verification Status and the Corrections Notes in this table.

I. Determination of HERS Verification Compliance

All applicable sections of this document shall indicate compliance with the specified verification protocol requirements in order for this Certificate of Verification as a whole to be determined to be in compliance.

01



CEC-NRCV-PLB-21-H (Revised 01/19)	PLB-21-H (Revised 01/19) CALIFORNIA ENERGY COMMISSION		COMMISSION
CERTIFICATE OF VERIFICATION			NRCV-PLB-21-H
HERS Verified High Rise Residential/Hotel/Motel Central Hot Water System Distribution			(Page 4 of 4)
Project Name:	Enforcement Agency:		Permit Number:
Dwelling Address:	City		Zip Code
		-	

DOCUMENTATION AUTHOR'S DECLARATION STATEMENT				
I certify that this Certificate of Verification documentation is accur	ata and complete			
Name:	Signature:			
Company:	Date:			
Address:	CEA / HERS Certification Identification (If applicable):			
City/State/Zip:	Phone:			
RESPONSIBLE PERSON'S DECLARATION STATEMENT	70,			
I certify the following under penalty of perjury, under the laws of the S	tate of California:			
1. The information provided on this Certificate of Verification is true and correct.				
2. I am the certified HERS Rater who performed the verification identified and reported on this Certificate of Verification (responsible rater).				
 The installed features, materials, components, manufactured deviverification identified on this Certificate of Verification comply with and NA2, and the requirements specified on the Certificate of Cortificate of Corti	h the applicable requirements in Reference Nonresidential Appendices NA1			
· · · · · · · · · · · · · · · · · · ·	(s) of Installation (NRCI), signed and submitted by the person(s) responsible specified on the Certificate(s) of Compliance (NRCC) approved by the			
the building, and made available to the enforcement agency for a	n shall be posted, or made available with the building permit(s) issued for I applicable inspections. I understand that a registered copy of this mentation the builder provides to the building owner at occupancy.			
BUILDER OR INSTALLER INFORMATION AS SHOWN ON THE CERTIFICA	TE OF INSTALLATION			
Company Name (Installing Subcontractor or General Contractor or Builder/Owner):	1,76,			
Responsible Builder/Installer Name:	CSLB License:			
HERS PROVIDER DATA REGISTRY INFORMATION	04			
Sample Group Number (if applicable):	Dwelling Test Status in Sample Group (if applicable):			
HERS RATER INFORMATION	6.			
HERS Rater Company Name:				
Responsible Rater's Name:	Responsible Rater's Signature:			

Date Signed:

Responsible Rater's Certification Number w/ this HERS Provider:

(Page 1 of 2)

A. General Information

This table reports the building location as specified on the Registered CF1R.

B. Design HERS Verified Central Water Heating Systems Information

This table reports the water heating system features that were specified on the registered CF1R compliance document for this project. For information only and requires no user input.

C. Installed HERS Verified Central Water Heating Systems Information

This table reports the water heating system information that is being installed. Require one line for each central system.

- 01 Water Heating System ID or Name Reference information from CF1R.
- 02 Water Heating System Type Reference information from CF1R. The different kinds of water heating system type are DHW or Combined Hydronic.
- 03 Water Heater Type Information from CF1R. The different kinds of water heaters are Large/Commercial Storage, Small/Consumer Storage, Residential-Duty Commercial Instantaneous, Small/Consumer Instantaneous, Residential-Duty Commercial Instantaneous or Indirect.
- 04 # of Water Heaters in system Reference information from CF1R.
- 05 Water Heater Storage Volume (gal) User input. Value may be N/A if water heater type is instantaneous with zero storage.
- 06 Fuel Type Reference information from CF1R. The different kinds of fuel types are natural gas, propane, oil, or electricity.
- 07 Rated Input Type Reference information from CF1R. For natural gas, propane and oil fuel type the input type is Btu/Hr. For electric the input type is kW.
- 08 Rated Input Value User input. Numerical value of the rated input. Must be equal to or less than value indicated on the CF1R.
- 09 Heating Efficiency Type Reference information from CF1R. Different efficiency types are Energy Factor, AFUE, UEF and Thermal Efficiency.
- 10 Heating Efficiency Value User input. Numerical value of the Heating Efficiency. Must be equal to or higher efficiency than value indicated on the CF1R.
- 11 Standby Loss User input. Must be equal to or less than value indicated on the CF1R. Value may be N/A if CF1R value is N/A.
- 12 Exterior Insul. R-Value User input. Must be equal to or higher than value indicated on the CF1R. Value may be N/A if CF1R value is N/A.

D. Design HERS Verified Central Water Heating Distribution Systems Information

This table reports the water heating distribution types specified on the registered CF1R compliance document for this project.

E. Installed HERS Verified Central Water Heating Distribution Systems Information

- 01 Central DHW System Distribution Type Reference information from CF1R.
- 02 Dwelling Unit DHW System Distribution Type Reference information from CF1R.

F. Installed HERS Verified Central Water Heater Manufacturer Information

This table reports the manufacturer information of the installed water heater(s). Require one line for each installed water heater.

- 01 Water Heating System ID or Name Reference information from CF1R.
- 02 Manufacturer User input. Enter the name of the water heater manufacturer.
- 03 Model Number User input. Enter the model number of the water heater.

G. Mandatory Requirements for All Central Domestic Hot Water Recirculation Systems

This table lists the requirements for all central recirculation systems. HERS rater must ensure all the requirements in this table are met.

CERTIFICATE OF VERIFICATION - USER INSTRUCTIONS	NRCV-PLB-21-H
HERS Verified High Rise Residential/Hotel/Motel Central Hot Water System Distribution	(Page 2 of 2)
 H. HERS-Verified Multiple Recirculation Loops for DHW Systems Serving Multiple Dwelling Units Requirements This table lists the requirements for HERS Verified multiple recirculation loop credit for central recirculation systems. O1 All buildings with 8 or more dwelling units have a minimum of 2 recirculation loops 	
H. HERS-Verified Multiple Recirculation Loops for DHW Systems Serving Multiple Dwelling Units Requirements This table lists the requirements for HERS Verified multiple recirculation loop credit for central recirculation systems. O1 All buildings with 8 or more dwelling units have a minimum of 2 recirculation loops	
ation and regider	
For inford Ashio Peeb b.	
oully.	

H. HERS-Verified Multiple Recirculation Loops for DHW Systems Serving Multiple Dwelling Units Requirements