



Permit Number: \_\_\_\_\_

LIGHTING: MANDATORY MEASURES	If provided, confirm on the plans.	YES	NO*
<b>Luminaire (LIGHT FIXTURE) Requirements (Section 150.0(k)1):</b>			
Meet Table 150.0-A or 150.0-B requirements _____		<input type="checkbox"/>	<input type="checkbox"/>
Hybrid high-efficacy and low-efficacy lighting systems to comply separately _____		<input type="checkbox"/>	<input type="checkbox"/>
Electronic ballasts for ≥13 watt fluorescents _____		<input type="checkbox"/>	<input type="checkbox"/>
Permanently installed night lights to be 5 watts or less (no vacancy sensor required) _____		<input type="checkbox"/>	<input type="checkbox"/>
Lighting integral to exhaust fans to meet 150.0(k) (except for manufacturer-installed lights in kitchen exhaust hoods) _____		<input type="checkbox"/>	<input type="checkbox"/>
<b>Switching Devices and Controls (Section 150.0(k)2):</b>			
High- and low-efficacy luminaires switched separately _____		<input type="checkbox"/>	<input type="checkbox"/>
Separate switching for exhaust fans (exceptions may apply) _____		<input type="checkbox"/>	<input type="checkbox"/>
Manual on/off controls readily accessible _____		<input type="checkbox"/>	<input type="checkbox"/>
Controls and equipment installed per manufacturer's instructions _____		<input type="checkbox"/>	<input type="checkbox"/>
Required dimmers/vacancy sensors not bypassed _____		<input type="checkbox"/>	<input type="checkbox"/>
Controls meet applicable requirements of 110.9 _____		<input type="checkbox"/>	<input type="checkbox"/>
<b>Kitchen Lighting (Section 150.0(k)3):</b>			
At least 50% installed wattage to be high efficacy (excluding interior cabinet lighting; blank electrical boxes=180 watts low-efficacy (exceptions may apply) _____		<input type="checkbox"/>	<input type="checkbox"/>
Internal cabinet Lighting: ≤20 watt/linear ft. of illum. cabinet _____		<input type="checkbox"/>	<input type="checkbox"/>
<b>Bathroom Lighting (Section 150.0(k)5):</b>			
At least one high-efficacy fixture in each bathroom, AND all other lights either high-efficacy OR controlled by a vacancy sensor _____		<input type="checkbox"/>	<input type="checkbox"/>
<b>Garage, Laundry, Utility Room Lighting (Section 150.0(k)6):</b>			
All high-efficacy AND controlled by vacancy sensor _____		<input type="checkbox"/>	<input type="checkbox"/>
<b>Lighting for all other rooms (Section 150.0(k)7):</b>			
Either high-efficacy OR low efficacy controlled by dimmer OR vacancy sensor (closets < 70 ft² and detached storage <1,000 ft² exempt) _____		<input type="checkbox"/>	<input type="checkbox"/>
<b>Recessed Luminaires in Ceilings (Section 150.0(k)8):</b>			
Zero-clearance IC listed AND certified airtight _____		<input type="checkbox"/>	<input type="checkbox"/>
Caulked or gasketed between luminaire housing and ceiling, and at all air leak paths between conditioned and unconditioned _____		<input type="checkbox"/>	<input type="checkbox"/>
To be high-efficacy, recessed compact fluorescent luminaires with ballasts must be certified to CEC as complying with applicable requirements of 110.9 _____		<input type="checkbox"/>	<input type="checkbox"/>
Ballasts readily accessible for maintenance and replacement _____		<input type="checkbox"/>	<input type="checkbox"/>



This program is funded by California utility customers under the auspices of the California Public Utilities Commission and in support of the California Energy Commission.

Permit Number: \_\_\_\_\_

**Single-Family Residential Outdoor Lighting (Section 150.0(k)9A):**

Must be high-efficacy; OR have all of the following controls: Motion sensor; plus photocontrol, astronomical time clock or EMCS; plus a manual On/Off switch that does not override to ON the automatic controls \_\_\_\_\_

**Low-Rise Multifamily Dwellings**

**Outdoor Lighting (Section 150.0(k)9B/C/D):**

Private patio, entrance, balcony and porch lighting can meet single-family OR nonresidential outdoor lighting requirements \_\_\_\_\_

“Other” (4 or more dwelling units): Outdoor lighting to meet nonresidential outdoor lighting requirements \_\_\_\_\_

Parking lots and carports:

For less than 8 vehicles: Parking lighting to meet single-family OR nonresidential outdoor lighting requirements \_\_\_\_\_

For 8 or more vehicles: Section 150.0(k)11. Parking lighting to meet nonresidential outdoor lighting requirements \_\_\_\_\_

**Indoor Lighting: Common Areas (Section 150.0(k)12)**

Common area ≤20% of floor area: Either high-efficacy OR low efficacy controlled by occupancy sensors \_\_\_\_\_

Common area >20% of floor area: Lighting to meet nonresidential indoor lighting requirements \_\_\_\_\_

**Additional Notes:** \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_