

# Envelope

## FENESTRATION



R-E-FE1

### Manufactured Products - Certification

Manufactured fenestration products and exterior doors may be installed only if the manufacturer has certified to the Commission that the product complies with all of the applicable requirements. Look for the NRFC label on all fenestration products, unless they are site built.

**Code Reference:** 2016 Title 24, Part 6 Standards §110.6(a)



R-E-FE2

### Manufactured Products - Labeling

Manufactured fenestration products shall have a temporary label listing the certified U-factor, SHGC and VT. It shall not be removed before inspection by the enforcement agency. Compare the U-factor and SHGC on the labels to the maximum values shown on the CF-1R.

**Code Reference:** 2016 Title 24, Part 6 Standards §110.6(a)5



R-E-FE3

### Field Fabricated Fenestration Products

Field-fabricated fenestration and field-fabricated exterior doors may be installed only if the compliance documentation has demonstrated compliance for the installation using default U-factors from TABLE 110.6-A and SHGC values from TABLE 110.6-B.

Field-fabricated fenestration and field-fabricated exterior doors shall be caulked and weather-stripped.

**Code Reference:** 2016 Title 24, Part 6 Standards §110.6(b)

R-E-FE1: PLACEHOLDER

R-E-FE2: © Environmental Protection Agency

R-E-FE3 © Architectural Energy Corporation

# Envelope

## FENESTRATION

**Notes:**

---

---

---

---

---

---

---