



CERTIFICATE OF COMPLIANCE	NRCC-ENV-03-E
Solar Reflectance Index Calculation Worksheet	(Page 1 of 2)
Project Name:	Date Prepared:

A. Product Information		
1	CRRC Product ID Number	
2	Manufacturer	
3	Brand	
4	Model	
5	Product Type	
6	Roof Slope	

B. SRI Calculations			
1	Aged Reflectance Listed with CRRC	Yes	No
2	CRRC Listed Aged Solar Reflectance		
3	Initial Solar Reflectance		
4	Calculated Aged Solar Reflectance		
5	Thermal Emittance		

C. Results		
1	Solar Reflective Index	



CERTIFICATE OF COMPLIANCE		NRCC-ENV-03-E
Solar Reflectance Index Calculation Worksheet		(Page 2 of 2)
Project Name:	Date Prepared:	

DOCUMENTATION AUTHOR'S DECLARATION STATEMENT	
1. I certify that this Certificate of Compliance documentation is accurate and complete.	
Documentation Author Name:	Documentation Author Signature:
Company:	Signature Date:
Address:	CEA/ HERS Certification Identification (if applicable):
City/State/Zip:	Phone:
RESPONSIBLE PERSON'S DECLARATION STATEMENT	
I certify the following under penalty of perjury, under the laws of the State of California:	
<ol style="list-style-type: none"> The information provided on this Certificate of Compliance is true and correct. I am eligible under Division 3 of the Business and Professions Code to accept responsibility for the building design or system design identified on this Certificate of Compliance (responsible designer). The energy features and performance specifications, materials, components, and manufactured devices for the building design or system design identified on this Certificate of Compliance conform to the requirements of Title 24, Part 1 and Part 6 of the California Code of Regulations. The building design features or system design features identified on this Certificate of Compliance are consistent with the information provided on other applicable compliance documents, worksheets, calculations, plans and specifications submitted to the enforcement agency for approval with this building permit application. I will ensure that a completed signed copy of this Certificate of Compliance shall be made available with the building permit(s) issued for the building, and made available to the enforcement agency for all applicable inspections. I understand that a completed signed copy of this Certificate of Compliance is required to be included with the documentation the builder provides to the building owner at occupancy. 	
Responsible Designer Name:	Responsible Designer Signature:
Company :	Date Signed:
Address:	License:
City/State/Zip:	Phone:

A. Product Information:

1. CRRC Product ID Number, Manufacturer, Brand, Model and Product Type should be based on product information from the Cool Roof Rating Council's website. The product directory is located at <http://www.coolroofs.org/products/search.php> and may be browsed either by viewing all products or by using the search function to find a specific product. Keep in mind that inclusion in the directory does not guarantee that a product will meet the energy requirements.
2. Roof Slope: Designate the roof slope as either "less than or equal to 2:12" ($\leq 2:12$) or "greater than 2:12" ($> 2:12$). A ratio of 2:12 is approximately 9.5 degree slope. The SRI requirement is based partly on the slope of the roof.

B. SRI Calculations:

1. Aged Reflectance Listed with CRRC: Indicate whether or not your product's 3-year aged solar reflectance is listed on the CRRC website by selecting either "yes" or "no"
2. CRRC Listed Aged Solar Reflectance: If you selected "yes" to box 1, input the CRRC listed 3-year aged solar reflectance.
3. Initial Solar Reflectance: If you selected "no" to box 1, input the CRRC listed initial solar reflectance.
4. Calculated Aged Solar Reflectance: No input required. The calculator will calculate the aged reflectance using the initial reflectance once you hit enter or click outside the box. Note that the solar reflectance value will be a decimal between 0 and 1.
5. Thermal Emittance: Input the value for thermal emittance obtained from the CRRC. This value can be either the initial thermal emittance or the 3-year aged value. Note that it also must be a decimal between 0 and 1.

C. Results:

1. Solar Reflectance Index: If you have entered values for both solar reflectance and thermal emittance, once you press enter or click outside the box, the calculator will calculate the final SRI value. It may take a few moments to obtain a value for the SRI depending on the values you inputted for reflectance and emittance.